

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
Ac	ARVADA CLAY LOAM								
		ARVADA	90	> 72	None	Somewhat limited	Not limited	Very slow	High
BaB	BACA CLAY LOAM, 0 TO 3 PERCENT SLOPES								
		BACA	90	> 72	None	Not limited	Somewhat limited	Slow	Medium
BaC	BACA CLAY LOAM, 3 TO 5 PERCENT SLOPES								
		BACA	95	> 72	None	Not limited	Somewhat limited	Slow	High
Bk	BREAKS-ALLUVIAL LAND COMPLEX								
		BREAKS	85	> 72	None	Somewhat limited	Very limited	Moderate	Medium
		ALLUVIAL LAND	10	> 72	None	Not limited	Very limited	Moderate	Not Rated
CaA	CAMPO CLAY LOAM, 0 TO 3 PERCENT SLOPES								
		CAMPO	90	> 72	None	Not limited	Not limited	Slow	High
CdE	CASCAJO SANDY LOAM, 3 TO 25 PERCENT SLOPES								
		CASCAJO	90	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low
CfA	COLBY FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES								
		COLBY	90	> 72	None	Not limited	Somewhat limited	Moderate	Low
CfAB	COLBY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES								
		COLBY	90	> 72	None	Not limited	Somewhat limited	Moderate	Low
CfB	COLBY FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES								
		COLBY	90	> 72	None	Not limited	Somewhat limited	Moderate	Low
CfC	COLBY FINE SANDY LOAM, 3 TO 5 PERCENT SLOPES								
		COLBY	90	> 72	None	Not limited	Somewhat limited	Moderate	Low
CmA	COLBY SILT LOAM, 0 TO 1 PERCENT SLOPES								
		COLBY	90	> 72	None	Not limited	Somewhat limited	Moderate	Low
CmAB	COLBY SILT LOAM, 0 TO 3 PERCENT SLOPES								
		COLBY	90	> 72	None	Not limited	Somewhat limited	Moderate	Low
CmB	COLBY SILT LOAM, 1 TO 3 PERCENT SLOPES								
		COLBY	90	> 72	None	Not limited	Somewhat limited	Moderate	Low
CmC	COLBY SILT LOAM, 3 TO 5 PERCENT SLOPES								
		COLBY	90	> 72	None	Not limited	Somewhat limited	Moderate	Low
CoA	COLBY SILT LOAM, CLAY SUBSTRATUM, 0 TO 1 PERCENT SLOPES								
		COLBY, CLAY SUBSTRATUM	90	> 72	None	Very limited	Somewhat limited	Slow	Medium

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
CsA	COLBY SILT LOAM, SAND SUBSTRATUM, 0 TO 1 PERCENT SLOPES								
		COLBY, SAND SUBSTRATUM	90	> 72	None	Not limited	Very limited	Moderate	Low
CuB	COLBY-ULYSSES COMPLEX, 1 TO 3 PERCENT SLOPES								
		COLBY	50	> 72	None	Not limited	Somewhat limited	Moderate	Low
		ULYSSES	40	> 72	None	Not limited	Very limited	Moderate	Low
Du	DUNE LAND								
		DUNE LAND	90	> 72	None	Somewhat limited	Very limited	Rapid	Very low
FcB	FORT COLLINS LOAM, 0 TO 3 PERCENT SLOPES								
		FORT COLLINS	90	> 72	None	Not limited	Somewhat limited	Moderate	Low
FcC	FORT COLLINS LOAM, 3 TO 5 PERCENT SLOPES								
		FORT COLLINS	90	> 72	None	Not limited	Very limited	Moderately slow	Low
FnC	FORT COLLINS SANDY LOAM, 3 TO 5 PERCENT SLOPES								
		FORT COLLINS	90	> 72	None	Not limited	Very limited	Moderately slow	Low
GaA	GLENDDIVE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES								
		GLENDDIVE	90	> 72	Occasional	Very limited	Very limited	Moderately rapid	Very low
GaAB	GLENDDIVE FINE SANDY LOAM								
		GLENDDIVE	90	> 72	Occasional	Very limited	Very limited	Moderate	Low
GaB	GLENDDIVE FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES								
		GLENDDIVE	90	> 72	Occasional	Very limited	Very limited	Moderately rapid	Very low
Gc	GLENDDIVE FINE SANDY LOAM, CLAYEY SUBSTRATUM								
		GLENDDIVE, CLAYEY SUBSTRATUM	90	> 72	None	Not limited	Very limited	Slow	Low
Gf	GLENDDIVE FINE SANDY LOAM, WET								
		GLENDDIVE, WET	90	36-72	None	Somewhat limited	Very limited	Moderately rapid	Very low
GhA	GLENDDIVE AND HAVRE FINE SANDY LOAMS, 0 TO 1 PERCENT SLOPES								
		GLENDDIVE	70	> 72	Occasional	Very limited	Very limited	Moderately rapid	Very low
		HAVRE	30	> 72	None	Not limited	Very limited	Moderately rapid	Low
GhAB	GLENDDIVE AND HAVRE FINE SANDY LOAMS								
		GLENDDIVE	70	> 72	Occasional	Very limited	Very limited	Moderately rapid	Very low
		HAVRE	30	> 72	None	Not limited	Very limited	Moderately rapid	Low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
GhB	GLENDDIVE AND HAVRE FINE SANDY LOAMS, 1 TO 3 PERCENT SLOPES								
		GLENDDIVE	70	> 72	Occasional	Very limited	Very limited	Moderately rapid	Very low
		HAVRE	30	> 72	None	Not limited	Very limited	Moderately rapid	Low
GnA	GLENDDIVE AND HAVRE SOILS, SAND SUBSTRATA, 0 TO 1 PERCENT SLOPES								
		GLENDDIVE	70	> 72	Occasional	Very limited	Very limited	Moderately rapid	Very low
		HAVRE, SAND SUBSTRATA	30	> 72	None	Not limited	Very limited	Moderately rapid	Very low
GnAB	GLENDDIVE AND HAVRE SOILS, SAND SUBSTRATA								
		GLENDDIVE	70	> 72	Occasional	Very limited	Very limited	Moderately rapid	Very low
		HAVRE, SAND SUBSTRATA	30	> 72	None	Not limited	Very limited	Moderately rapid	Very low
GnB	GLENDDIVE AND HAVRE SOILS, SAND SUBSTRATA, 1 TO 3 PERCENT SLOPES								
		GLENDDIVE	70	> 72	Occasional	Very limited	Very limited	Moderately rapid	Very low
		HAVRE, SAND SUBSTRATA	30	> 72	None	Not limited	Very limited	Moderately rapid	Very low
Go	GOSHEN SILT LOAM								
		GOSHEN	80	> 72	None	Not limited	Somewhat limited	Moderate	Low
GPA	GRAVEL PITS								
		GRAVEL PITS	95	> 72	None	Not limited	Very limited	Rapid	Negligible
HaA	HARVEY LOAM, 0 TO 1 PERCENT SLOPES								
		HARVEY	90	> 72	None	Not limited	Very limited	Moderate	Low
HaAB	HARVEY LOAM, 0 TO 3 PERCENT SLOPES								
		HARVEY	90	> 72	None	Not limited	Very limited	Moderate	Low
HaB	HARVEY LOAM, 1 TO 3 PERCENT SLOPES								
		HARVEY	90	> 72	None	Not limited	Very limited	Moderate	Low
HaC	HARVEY LOAM, 3 TO 5 PERCENT SLOPES								
		HARVEY	90	> 72	None	Not limited	Very limited	Moderate	Low
HaD2	HARVEY LOAM, 5 TO 9 PERCENT SLOPES, ERODED								
		HARVEY, ERODED	90	> 72	None	Not limited	Very limited	Moderate	Medium
Hm	HAVRE LOAM								
		HAVRE	90	> 72	None	Not limited	Very limited	Moderately rapid	Low
KcA	KORNMAN CLAY LOAM, 0 TO 1 PERCENT SLOPES								
		KORNMAN	90	> 72	None	Not limited	Very limited	Moderately slow	Low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
KcB	KORNMAN CLAY LOAM, 1 TO 3 PERCENT SLOPES								
		KORNMAN	90	> 72	None	Not limited	Very limited	Moderately slow	Low
KmA	KORNMAN CLAY LOAM, CLAY SUBSTRATUM, 0 TO 1 PERCENT SLOPES								
		KORNMAN, CLAY SUBSTRATUM	90	> 72	None	Very limited	Very limited	Slow	Medium
KnA	KORNMAN CLAY LOAM, SAND SUBSTRATUM, 0 TO 1 PERCENT SLOPES								
		KORNMAN, SAND SUBSTRATUM	90	> 72	None	Not limited	Very limited	Moderately slow	Low
KwA	KORNMAN CLAY LOAM, WET, 0 TO 2 PERCENT SLOPES								
		KORNMAN, WET	90	36-72	None	Somewhat limited	Very limited	Moderately slow	Medium
La	LAS LOAM								
		LAS	90	30-72	Occasional	Very limited	Very limited	Moderately slow	Low
Lb	LAS LOAM, CLAY SUBSTRATUM								
		LAS, CLAY SUBSTRATUM	90	24-72	Occasional	Very limited	Very limited	Slow	Medium
Lc	LAS CLAY LOAM								
		LAS	90	30-72	Occasional	Very limited	Very limited	Moderately slow	Low
Ld	LAS CLAY LOAM, CLAY SUBSTRATUM								
		LAS, CLAY SUBSTRATUM	90	24-72	Occasional	Very limited	Very limited	Slow	Medium
Lm	LAS CLAY LOAM, SALINE								
		LAS, SALINE	90	24-72	Occasional	Very limited	Very limited	Slow	Medium
Ln	LAS CLAY LOAM, SAND SUBSTRATUM								
		LAS, SAND SUBSTRATUM	90	30-72	Occasional	Very limited	Very limited	Moderately slow	Low
Lo	LAS CLAY LOAM, SAND SUBSTRATUM, SALINE								
		LAS, SAND SUBSTRATUM, SALINE	90	24-72	Occasional	Very limited	Very limited	Slow	Medium
Lp	LAS CLAY, WET, SALINE								
		LAS, WET, SALINE	90	24-72	Occasional	Very limited	Very limited	Slow	Medium
Ls	LAS SANDY LOAM								
		LAS	90	24-72	Occasional	Very limited	Very limited	Slow	Medium
Lt	LAS ANIMAS SOILS								
		LAS ANIMAS	90	27-72	Frequent	Very limited	Very limited	Moderately rapid	Very low
Lu	LINCOLN LOAM								
		LINCOLN	90	> 72	Frequent	Very limited	Very limited	Moderate	Low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
Lv	LINCOLN SAND								
		LINCOLN	90	> 72	Frequent	Very limited	Very limited	Rapid	Negligible
Lw	LISMAS CLAY LOAM								
		LISMAS	90	> 72	None	Very limited	Very limited	Slow	Medium
Lx	LISMAS-SHALE OUTCROP COMPLEX								
		LISMAS	50	> 72	None	Very limited	Very limited	Slow	Very high
		SHALE OUTCROP	50	> 72	None	Very limited	Very limited	Very slow	Very high
Ly	LOAMY ALLUVIAL LAND								
		LOAMY ALLUVIAL LAND	90	9-72	Frequent	Very limited	Very limited	Moderately rapid	Low
MaA	MANVEL LOAM, 0 TO 1 PERCENT SLOPES								
		MANVEL	90	> 72	None	Somewhat limited	Very limited	Slow	Low
MmC	MANVEL AND MINNEQUA LOAMS, 1 TO 5 PERCENT SLOPES								
		MANVEL	50	> 72	None	Somewhat limited	Very limited	Slow	Low
		MINNEQUA	50	> 72	None	Somewhat limited	Very limited	Slow	Low
NmA	NEPESTA CLAY LOAM, 0 TO 1 PERCENT SLOPES								
		NEPESTA	90	> 72	None	Not limited	Not limited	Moderately slow	Low
NmB	NEPESTA CLAY LOAM, 1 TO 3 PERCENT SLOPES								
		NEPESTA	90	> 72	None	Not limited	Not limited	Moderately slow	Low
NpA	NEPESTA CLAY LOAM, SALINE, 0 TO 1 PERCENT SLOPES								
		NEPESTA, SALINE	90	30-72	None	Very limited	Very limited	Moderately slow	Medium
NpB	NEPESTA CLAY LOAM, SALINE, 1 TO 3 PERCENT SLOPES								
		NEPESTA, SALINE	90	30-72	None	Very limited	Very limited	Moderately slow	Medium
NsA	NEPESTA CLAY LOAM, WET, 0 TO 1 PERCENT SLOPES								
		NEPESTA, WET	90	30-72	None	Very limited	Very limited	Moderately slow	Medium
NtA	NUMA CLAY LOAM, 0 TO 1 PERCENT SLOPES								
		NUMA	90	> 72	None	Not limited	Very limited	Moderately slow	Low
NtB	NUMA CLAY LOAM, 1 TO 3 PERCENT SLOPES								
		NUMA	90	> 72	None	Not limited	Very limited	Moderately slow	Low
NtC	NUMA CLAY LOAM, 3 TO 5 PERCENT SLOPES								
		NUMA	90	> 72	None	Not limited	Very limited	Moderately slow	Low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
NuB	NUMA CLAY LOAM, SALINE, 0 TO 3 PERCENT SLOPES								
		NUMA, SALINE	90	42-72	None	Somewhat limited	Somewhat limited	Moderately slow	Medium
NwB	NUMA CLAY LOAM, WET, 0 TO 3 PERCENT SLOPES								
		NUMA, WET	90	42-72	None	Somewhat limited	Somewhat limited	Moderately slow	Medium
OtB	OTERO SANDY LOAM, 1 TO 3 PERCENT SLOPES								
		OTERO	90	> 72	None	Not limited	Very limited	Moderately rapid	Very low
OtC	OTERO SANDY LOAM, 3 TO 5 PERCENT SLOPES								
		OTERO	90	> 72	None	Not limited	Very limited	Moderately rapid	Very low
PaC	PENROSE LOAM, 1 TO 5 PERCENT SLOPES								
		PENROSE	90	> 72	None	Very limited	Very limited	Slow	Medium
Pk	PENROSE-ROCK OUTCROP COMPLEX								
		PENROSE	60	> 72	None	Very limited	Very limited	Slow	Very high
		ROCK OUTCROP	40	> 72	None	Very limited	Very limited	NA	Very high
PnC	POTTER AND NIHILL GRAVELLY SOILS, 1 TO 5 PERCENT SLOPES								
		NIHILL	40	> 72	None	Not limited	Very limited	Moderate	Low
		POTTER	40	> 72	None	Not limited	Somewhat limited	Moderately rapid	Low
PsE	POTTER AND STONEHAM GRAVELLY LOAMS, 3 TO 35 PERCENT SLOPES								
		POTTER	40	> 72	None	Very limited	Very limited	Very slow	Very high
		STONEHAM	40	> 72	None	Very limited	Very limited	Moderate	High
PuC	PULTNEY LOAM, 1 TO 5 PERCENT SLOPES								
		PULTNEY	90	> 72	None	Somewhat limited	Very limited	Moderately slow	Medium
RaB	RENOHILL LOAM, 1 TO 3 PERCENT SLOPES								
		RENOHILL	90	> 72	None	Somewhat limited	Somewhat limited	Slow	Medium
RaC	RENOHILL LOAM, 3 TO 5 PERCENT SLOPES								
		RENOHILL	90	> 72	None	Somewhat limited	Somewhat limited	Slow	Medium
RbB	RENOHILL LOAM, MODERATELY SHALLOW, 1 TO 3 PERCENT SLOPES								
		RENOHILL, MODERATLY SHALLOW	90	> 72	None	Very limited	Very limited	Slow	Medium
RbC	RENOHILL LOAM, MODERATELY SHALLOW, 3 TO 5 PERCENT SLOPES								
		RENOHILL, MODERATELY SHALLOW	90	> 72	None	Very limited	Very limited	Slow	Medium

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
RdB	RENOHILL SANDY LOAM, 1 TO 3 PERCENT SLOPES								
		RENOHILL	90	> 72	None	Somewhat limited	Somewhat limited	Slow	Medium
RdC	RENOHILL SANDY LOAM, 3 TO 5 PERCENT SLOPES								
		RENOHILL	90	> 72	None	Somewhat limited	Somewhat limited	Slow	Medium
RhB	RENOHILL SANDY LOAM, MODERATELY SHALLOW, 1 TO 3 PERCENT SLOPES								
		RENOHILL, MODERATELY SHALLOW	90	> 72	None	Very limited	Very limited	Slow	Medium
RhC	RENOHILL SANDY LOAM, MODERATELY SHALLOW, 3 TO 5 PERCENT SLOPES								
		RENOHILL, MODERATELY SHALLOW	90	> 72	None	Very limited	Very limited	Slow	Medium
Rk2	RENOHILL SOILS, ERODED								
		RENOHILL, ERODED	90	> 72	None	Very limited	Very limited	Slow	High
RmA	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES								
		RICHFIELD	90	> 72	None	Not limited	Somewhat limited	Moderately slow	Low
RoA	ROCKY FORD CLAY LOAM, 0 TO 1 PERCENT SLOPES								
		ROCKY FORD	90	> 72	None	Not limited	Somewhat limited	Moderately slow	Low
RoB	ROCKY FORD CLAY LOAM, 1 TO 3 PERCENT SLOPES								
		ROCKY FORD	90	> 72	None	Not limited	Somewhat limited	Moderately slow	Low
RoC	ROCKY FORD CLAY LOAM, 3 TO 5 PERCENT SLOPES								
		ROCKY FORD	90	> 72	None	Not limited	Somewhat limited	Moderately slow	Low
RpA	ROCKY FORD, CLAY SUBSTRATUM, 0 TO 1 PERCENT SLOPES								
		ROCKY FORD, CLAY SUBSTRATUM	90	> 72	None	Not limited	Somewhat limited	Slow	Low
RsA	ROCKY FORD CLAY LOAM, SAND SUBSTRATUM, 0 TO 1 PERCENT SLOPES								
		ROCKY FORD, SAND SUBSTRATUM	90	> 72	None	Not limited	Very limited	Moderately slow	Low
RsB	ROCKY FORD CLAY LOAM, SAND SUBSTRATUM, 1 TO 3 PERCENT SLOPES								
		ROCKY FORD, SAND SUBSTRATUM	90	> 72	None	Not limited	Very limited	Moderately slow	Low
RsC	ROCKY FORD CLAY LOAM, SAND SUBSTRATUM, 3 TO 5 PERCENT SLOPES								
		ROCKY FORD, SAND SUBSTRATUM	90	> 72	None	Not limited	Very limited	Moderately slow	Low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
RtB	ROCKY FORD CLAY LOAM, OVER LIMESTONE, 1 TO 3 PERCENT SLOPES								
		ROCKY FORD, OVER LIMESTONE	90	> 72	None	Very limited	Very limited	Very slow	High
RtC	ROCKY FORD CLAY LOAM, OVER LIMESTONE, 3 TO 5 PERCENT SLOPES								
		ROCKY FORD, OVER LIMESTONE	90	> 72	None	Very limited	Very limited	Very slow	High
RuA	ROCKY FORD CLAY LOAM, SALINE, 0 TO 1 PERCENT SLOPES								
		ROCKY FORD, SALINE	90	48-72	None	Somewhat limited	Somewhat limited	Moderately slow	Medium
RuB	ROCKY FORD CLAY LOAM, SALINE, 1 TO 3 PERCENT SLOPES								
		ROCKY FORD, SALINE	90	48-72	None	Somewhat limited	Somewhat limited	Moderately slow	Medium
RwA	ROCKY FORD CLAY LOAM, WET, 0 TO 1 PERCENT SLOPES								
		ROCKY FORD, WET	90	48-72	None	Somewhat limited	Somewhat limited	Moderately slow	Medium
RwB	ROCKY FORD CLAY LOAM, WET 1 TO 3 PERCENT SLOPES								
		ROCKY FORD, WET	90	48-72	None	Somewhat limited	Somewhat limited	Moderately slow	Medium
Sa	SALINE WET LAND								
		SALINE WET LAND	90	6-72	None	Very limited	Very limited	Moderately slow	Medium
Tc	TERRACE ESCARPMENTS								
		TERRACE ESCARPMENTS	90	> 72	None	Not limited	Very limited	Moderately rapid	Medium
Td	TIVOLI SAND								
		TIVOLI SAND	90	> 72	None	Not limited	Very limited	Rapid	Negligible
ThE	TIVOLI SAND, HILLY								
		TIVOLI, HILLY	90	> 72	None	Very limited	Very limited	Rapid	Very low
Tm	TIVOLI-DUNE LAND COMPLEX								
		TIVOLI	50	> 72	None	Very limited	Very limited	Rapid	Low
		DUNE LAND	50	> 72	None	Very limited	Very limited	Rapid	Low
Tn	TRAVESSILLA SANDY LOAM								
		TRAVESSILLA	90	> 72	None	Very limited	Very limited	Slow	High
Tr	TRAVESSILLA-ROCK OUTCROP COMPLEX								
		TRAVESSILLA	50	> 72	None	Very limited	Very limited	Slow	Very high
		ROCK OUTCROP	50	> 72	None	Very limited	Very limited	Very slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
Tw2	TYRONE SOILS, ERODED								
		TYRONE, ERODED	90	> 72	None	Somewhat limited	Somewhat limited	Moderately slow	Medium
TyB	TYRONE LOAM, 0 TO 3 PERCENT SLOPES								
		TYRONE	90	> 72	None	Somewhat limited	Somewhat limited	Moderately slow	Medium
TyC	TYRONE LOAM, 3 TO 5 PERCENT SLOPES								
		TYRONE	90	> 72	None	Somewhat limited	Somewhat limited	Moderately slow	Medium
UnB	ULYSSES SANDY LOAM, 0 TO 3 PERCENT SLOPES								
		ULYSSES	90	> 72	None	Not limited	Very limited	Moderate	Low
UsB	ULYSSES SILT LOAM, 0 TO 3 PERCENT SLOPES								
		ULYSSES	90	> 72	None	Not limited	Very limited	Moderate	Low
VaB	VONA LOAMY SAND, 1 TO 3 PERCENT SLOPES								
		VONA	90	> 72	None	Not limited	Very limited	Moderately rapid	Very low
VaC	VONA LOAMY SAND, 3 TO 5 PERCENT SLOPES								
		VONA	90	> 72	None	Not limited	Very limited	Moderately rapid	Very low
VoB	VONA SANDY LOAM, 1 TO 3 PERCENT SLOPES								
		VONA	90	> 72	None	Not limited	Very limited	Moderately rapid	Very low
VoC	VONA SANDY LOAM, 3 TO 5 PERCENT SLOPES								
		VONA	90	> 72	None	Not limited	Very limited	Moderately rapid	Very low
VsB2	VONA SOILS, 1 TO 3 PERCENT SLOPES, ERODED								
		VONA	90	> 72	None	Not limited	Very limited	Moderately rapid	Very low
VsD2	VONA SOILS, 3 TO 9 PERCENT SLOPES, ERODED								
		VONA, ERODED	90	> 72	None	Not limited	Very limited	Moderately rapid	Low
WaB	WILEY SILT LOAM, 0 TO 3 PERCENT SLOPES								
		WILEY	90	> 72	None	Not limited	Somewhat limited	Moderately slow	Low
WaC	WILEY SILT LOAM, 3 TO 5 PERCENT SLOPES								
		WILEY	90	> 72	None	Not limited	Somewhat limited	Moderately slow	Low
WbB2	WILEY AND BACA SOILS, 0 TO 3 PERCENT SLOPES, ERODED								
		WILEY, ERODED	50	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium
		BACA, ERODED	50	> 72	None	Not limited	Somewhat limited	Slow	Medium

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
WbC2	WILEY AND BACA SOILS, 3 TO 5 PERCENT SLOPES, ERODED								
		BACA, ERODED	50	> 72	None	Not limited	Somewhat limited	Slow	Medium
		WILEY, ERODED	50	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium